

...day June 20XX – Morning/Afternoon

**GCSE (9–1) Physics A (Gateway Science)
J249/03 Paper 3 (Higher Tier)**

SAMPLE MARK SCHEME

Duration: 1 hour 45 minutes

MAXIMUM MARK 90

This document consists of 16 pages

MARKING INSTRUCTIONS**PREPARATION FOR MARKING****SCORIS**

1. Make sure that you have accessed and completed the relevant training packages for on-screen marking: *scoris assessor Online Training*; *OCR Essential Guide to Marking*.
2. Make sure that you have read and understood the mark scheme and the question paper for this unit. These are posted on the RM Cambridge Assessment Support Portal <http://www.rm.com/support/ca>
3. Log-in to scoris and mark the **required number** of practice responses (“scripts”) and the **required number** of standardisation responses.

YOU MUST MARK 10 PRACTICE AND 10 STANDARDISATION RESPONSES BEFORE YOU CAN BE APPROVED TO MARK LIVE SCRIPTS.

MARKING

1. Mark strictly to the mark scheme.
2. Marks awarded must relate directly to the marking criteria.
3. The schedule of dates is very important. It is essential that you meet the scoris 50% and 100% (traditional 50% Batch 1 and 100% Batch 2) deadlines. If you experience problems, you must contact your Team Leader (Supervisor) without delay.
4. If you are in any doubt about applying the mark scheme, consult your Team Leader by telephone, email or via the scoris messaging system.

5. Work crossed out:
 - a. where a candidate crosses out an answer and provides an alternative response, the crossed out response is not marked and gains no marks
 - b. if a candidate crosses out an answer to a whole question and makes no second attempt, and if the inclusion of the answer does not cause a rubric infringement, the assessor should attempt to mark the crossed out answer and award marks appropriately.
6. Always check the pages (and additional objects if present) at the end of the response in case any answers have been continued there. If the candidate has continued an answer there then add a tick to confirm that the work has been seen.
7. There is a NR (No Response) option. Award NR (No Response)
 - if there is nothing written at all in the answer space
 - OR if there is a comment which does not in any way relate to the question (e.g. 'can't do', 'don't know')
 - OR if there is a mark (e.g. a dash, a question mark) which isn't an attempt at the question.Note: Award 0 marks – for an attempt that earns no credit (including copying out the question).
8. The scoris **comments box** is used by your Team Leader to explain the marking of the practice responses. Please refer to these comments when checking your practice responses. **Do not use the comments box for any other reason.** If you have any questions or comments for your Team Leader, use the phone, the scoris messaging system, or email.
9. Assistant Examiners will send a brief report on the performance of candidates to their Team Leader (Supervisor) via email by the end of the marking period. The report should contain notes on particular strengths displayed as well as common errors or weaknesses. Constructive criticism of the question paper/mark scheme is also appreciated.

10. For answers marked by levels of response:

Read through the whole answer from start to finish, using the Level descriptors to help you decide whether it is a strong or weak answer. The indicative scientific content in the Guidance column indicates the expected parameters for candidates' answers, but be prepared to recognise and credit unexpected approaches where they show relevance.

Using a 'best-fit' approach based on the skills and science content evidenced within the answer, first decide which set of level descriptors, Level 1, Level 2 or Level 3, best describes the overall quality of the answer. Once the level is located, award the higher or lower mark:

The higher mark should be awarded where the level descriptor has been evidenced and all aspects of the communication statement (in italics) have been met.

The lower mark should be awarded where the level descriptor has been evidenced but aspects of the communication statement (in italics) are missing.

In summary:

The skills and science content determines the level.

The communication statement determines the mark within a level.

11. Annotations

Annotation	Meaning
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
–	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

12. Subject-specific Marking Instructions

INTRODUCTION

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9–1) in Physics A:

	Assessment Objective
AO1	Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.
AO1.1	Demonstrate knowledge and understanding of scientific ideas.
AO1.2	Demonstrate knowledge and understanding of scientific techniques and procedures.
AO2	Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.
AO2.1	Apply knowledge and understanding of scientific ideas.
AO2.2	Apply knowledge and understanding of scientific enquiry, techniques and procedures.
AO3	Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.
AO3.1	Analyse information and ideas to interpret and evaluate.
AO3.1a	Analyse information and ideas to interpret.
AO3.1b	Analyse information and ideas to evaluate.
AO3.2	Analyse information and ideas to make judgements and draw conclusions.
AO3.2a	Analyse information and ideas to make judgements.
AO3.2b	Analyse information and ideas to draw conclusions.
AO3.3	Analyse information and ideas to develop and improve experimental procedures.
AO3.3a	Analyse information and ideas to develop experimental procedures.
AO3.3b	Analyse information and ideas to improve experimental procedures.

SECTION A


Question	Answer	Marks	AO element	Guidance
1	C	1	2.1	
2	D	1	1.1	
3	C	1	1.1	
4	D	1	2.2	
5	A	1	1.2	
6	B	1	1.2	
7	A	1	2.1	
8	C	1	2.1	
9	A	1	2.1	
10	A	1	1.2	
11	C	1	2.1	
12	D	1	2.1	
13	C	1	2.1	
14	B	1	1.2	
15	A	1	2.1	

SECTION B

Question			Answer	Marks	AO element	Guidance
16	(a)	(i)	Temperature rise or start and end temperatures (1) Time that the heater is switched on (1) Mass of the block (1)	3	1.2 1.2 1.2	
		(ii)	Reference to: energy = voltage x current x time (1) SHC = energy / (mass x temp rise) (1)	2	2 x 2.1	
	(b)		Any two reasons and any two improvements <u>Reasons</u> Heat escapes to the surroundings (1) Part of the immersion heater is outside of the block (1) Poor thermal contact between the immersion heater and block (1) It takes time for the thermometer to reach its maximum temperature (once the heater is turned off) (1) <u>Improvements</u> Lag/insulate the aluminium block (1) Make sure all of the heater is in the block/use a smaller heater (1) Use petroleum jelly to transfer heat between the immersion heater and the block (1) Wait until the maximum temperature is reached (1)	4	2 x 3.2a 2 x 3.3b	Max 2 reasons and 2 improvements ALLOW (idea of) residual heat not reaching the block before the final temperature is recorded.

Question		Answer	Marks	AO element	Guidance
17	(a)*	<p>Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question.</p> <p>Level 3 (5–6 marks)</p> <p>Detailed description of charging the balloon AND an experiment linked appropriately with an explanation of the observations. <i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i></p> <p>Level 2 (3–4 marks)</p> <p>Description of charging the balloon AND of an experiment to demonstrate. <i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i></p> <p>Level 1 (1–2 marks)</p> <p>Simple description of how the balloon may become charged OR a suggestion of an appropriate experiment. <i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i></p> <p>0 marks <i>No response or no response worthy of credit.</i></p>	6	3 x 1.2 3 x 2.2	<p>AO2.2: Description of an experiment with explanation</p> <ul style="list-style-type: none"> • Holding a charged balloon by water/paper/wall/hair/gold leaf electroscope/another charged balloon • Use of a gold leaf electroscope. A charged balloon causing the gold leaf to rise when the plate is touched by the balloon • Caused by charge moving down the leaf and metal plate with the same charge repelling one another • Idea of induction if relevant to investigation <p>AO1.2: Description of charging an insulator</p> <ul style="list-style-type: none"> • Mention of electrostatic forces • Attraction of opposite charges • Repulsion of like charges • Electrons are rubbed on/off the balloon from/to the scarf / ORA • Idea of negative charge linking to electrons • Removal of electrons result in positive charge

Question		Answer	Marks	AO element	Guidance
	(b)	Conversion of mA to A (40 mA = 0.04 A) (1) Use of $Q = I \times t$: $t = 3.6 / 0.04$ (1) $t = 90$ (seconds) (1)	3	3 x 2.1	
18	(a)	Water is much denser than air/AW (1)	1	2.1	
	(b)	Pressure increases as depth increases (1) Each 10 metres of depth increases pressure by 1 AW (1)	2	2 x 3.1b	ALLOW direct/linear relationship
	(c)	It is the pressure of the atmosphere/AW (1)	1	2.1	
	(d)	Recall of 'g' (1) Substitution into equation (1) $364 / 360$ (1) 2 significant figures quoted / 360 (1)	4	1.1 2.1 2.1 2.1	9.8 or 10 m/s ² ALLOW 356.72 (3)

Question		Answer	Marks	AO element	Guidance
19	(a)	B and D (1) resistance = voltage \div current (1)	2	2 x 3.1b	Both required for the mark. Either order. e.g. correct numbers substituted into correct equation
	(b)	19 (1)	1	3.1b	ALLOW ECF from (a)
	(c) (i)	All correct circuit symbols (1) Circuit diagram with ammeter, lamp and power supply in series (1) Circuit diagram with voltmeter in parallel (1) Vary current, measure voltage / ORA (1)	4	1.1 3 x 1.2	To include ammeter, voltmeter, lamp and power supply/cell. Ignore variable resistor. ALLOW vary variable resistor and measure current and voltage if circuit includes a variable resistor
	(ii)	Correct curve shape (1)  use of graph to read values of V and I and description of use of $R = V \div I$ (1)	2	1.2 2.2	ALLOW positive voltage only for a d.c circuit
	(d)	Systematic error (1) Reset the meter/subtract 1.0V from all readings (1)	2	2 x 1.2	ALLOW zero error ALLOW subtract initial reading from all future readings

Question			Answer	Marks	AO element	Guidance
20	(a)	(i)	Change mass/Force applied (1) Release glider and idea of measuring acceleration with appropriate apparatus to do this stated (e.g. Light gates/datalogger) (1) Check results/plot graph to see if it matches $F=ma$ formula (1)	3	3 x 2.2	e.g. $F \propto a$ or $m \propto 1/a$
		(ii)	4 m/s ² (1)	1	2.1	
		(iii)	Any 2 from: The track is not perfectly frictionless/AW (1) Friction of the pulley (1) (Idea of) light gates incorrectly set up (1)	2	2 x 3.3a	
	(b)		Attempt 1 at 4 newtons/12.0 (1) Don't include it in the mean/repeat readings/repeat this reading during the experiment (1)	2	3.2a 1.2	
	(c)		Another person/group gets similar results/AW (1)	1	1.2	

Question			Answer	Marks	AO element	Guidance
21	(a)	(i)	Fleming's left hand rule (1)	1	1.1	ALLOW left hand rule / motor rule
		(ii)	Reference to B, I, L are the largest in the table (1) Some calculation to show the use of $F=BIL$ e.g. one mark point for four correct calculations: A: 0.125 N B: 0.225 N C: 0.225 N D: 1.250 N (1)	2	2 x 3.1b	If no calculations are made pupils can only receive 1 mark
	(b)	(i)	Wind two coils of wire around an iron core / AW (1) Secondary coil has twice/double the number of primary turns / ORA (2) Connect primary coil to an a.c. supply (1)	4	1.1 2 x 1.2 1.1	ALLOW secondary coil has more turns than the primary coil / ORA (1)
		(ii)	High voltages can be produced / AW (1) Any 1 from: Insulate the secondary coil (1) Use very low voltages on the primary coil (1) Keep primary coil voltages low / AW (1)	2	1.2 3.3b	ALLOW below 6 V
	(c)		Microphones convert pressure variations in sound waves (1) into variations in current/voltage in electrical circuits / AW (1)	2	2 x 1.1	

Question		Answer	Marks	AO element	Guidance
22	(a)	The momentum at the start and at the end will be equal as long as no external forces act / AW (1)	1	1.1	
	(b)	$(90 \times 2) + (60 \times \text{velocity}) = 0$ (1) Velocity = (-)3 (m/s) (1)	2	2 x 2.1	
23	(a)	Idea that the KE at bottom must be equal to or less than GPE at the top (1) W: KE = 4.5J and so is possible as it is likely that some energy will be lost / AW (1) X: KE = 8J and so is possible but it will not be 100% efficient/X is unlikely as it implies no energy is lost / AW (1) Y: KE=12.5J and Z: KE = 18J and so not possible (1)	4	1.1 3.1b 3.1b 3.1b	

Question		Answer	Marks	AO element	Guidance
24	(a)	Tangent drawn to the line at 5 seconds (1) Correct values read-off from triangle created (1) Correct value of acceleration calculated $4.0 \text{ (m/s}^2\text{)}$ (1)	3	2.2 2.2 2.1	ALLOW $3.6\text{--}4.5 \text{ m/s}^2$
	(b)	Evidence of counting squares technique (1) Correct distance calculated 32 (m) (1)	2	2 x 1.2	ALLOW 30–35 m
	(c)	Part X: <ul style="list-style-type: none"> Speed increases so drag increases (1) resultant force reduces so acceleration is reduced(1) Drag force approaches the weight until weight = drag and she moves at a terminal velocity (1) Part Y: <ul style="list-style-type: none"> Speed decreases as drag > weight (1) Larger resultant force gives a high deceleration to reach terminal velocity (1) At Y larger surface area (from the parachute) gives drag=weight at a lower speed than part X / ORA (1) 	6	6 x 2.1	Each set of 3 points must be in a logical order.

Summary of updates

Date	Version	Change
May 2018	2	We've reviewed the look and feel of our papers through text, tone, language, images and formatting. For more information, please see our assessment principles in our "Exploring our question papers" brochures on our website
October 2019	2.1	Question 19(c)(i) – There has been a change to the Mark Scheme. Addition to guidance column: Allow positive voltage only for a d.c circuit Question 19(d) – There has been a change to the Mark Scheme, the Answer = Systematic error, also Allow zero error

BLANK PAGE

BLANK PAGE

BLANK PAGE